

**GOVERNMENT OF ANDHRA PRADESH**

**ABSTRACT**

INDUSTRIAL WATER SUPPLY – Permission for the drawal of 6 MLD Water ( or 2.45 Cusecs) i.e 0.06 TMC per annum from Nizampatnam canal, by M/s NSL Textiles Ltd.,Kunchalavaripalem, Cherukupalli (M), Guntur District, for consumptive use – Accorded – orders – issued.

-----  
**IRRIGATION & CAD (PW-REFORMS) DEPARTMENT**

G.O.Ms. No. 120

Dated:28-10-2010

Read the following:-

1. From The Director, M/s NSL Textiles Ltd , Hyd Lr. Dt: 19-03-2010.
2. Govt Memo. No. 7429 / Reforms-A2/2010-2,dt:20-04-2010.
3. From the ENC (Irrigation) Hyd. Lr.No. ENC(I) / DCE- IV / OTM5 / S5 KWD – Rep / 1440 / 08, dt:11-08-2010.

\*\*\*\*\*

**ORDER:**

In the reference 3<sup>rd</sup> read above, the Engineer-in- Chief (Irrg) Hyderabad, has stated that in the Govt Memo.No.10703 / Reforms / 2008-1, dt. 18-04-2008, has called for a detailed report regarding allotment of 6 MLD of water from Nizampatnam Canal for the processing plant of M/s NSL Textiles Ltd., Guntur, District . In this connection the Superintending Engineer., irrigation circle, Guntur in his Letter Dt: 8-10-2009, has requested his concurrence to accord permission for drawal of 6 MLD of water from Nizampatnam Canal . The Engineer-in-Chief (Irrigation) has also stated that the Hon'ble High Court disposed off the W.P.No 1786/2010 on 26-07-2010 by dismissing the petition and also stated the request of the firm may be considered and orders of water for allocation of 6 MLD water i.e 0.06 TMC per annum of water from Nizampatnam canal for the processing plant of M/s NSL Textiles Ltd., may be issued subject to obtaining the concurrence of the Collector & District Magistrate, Guntur.

2. keeping in view of the circumstances stated above, and also in light of the report /recommendations of the Engineer –in- Chief (Irrigation) Hyderabad,Government after careful examination of the proposal hereby accord permission for drawal of 6 MLD i.e., 2.45cusecs (0.06 TMC per annum) from Nizampatnam Canal to M/s NSL Textiles Ltd., Kunchalavaripalem, Cherukupalli (M), Guntur District, for consumptive use for industrial purpose for a period of **5 years**, subject to the following general conditions:-

**Conditions:**

- a) The water will be spared on the availability of water in the Nizampatnam Canal.
- b) The entire cost of construction of intake well, Pump house, & pipelines excavation etc., should be borne by the Industry only.
- c) Water meters or suitable measuring devices should be installed by the Industry at their own cost to measure the water consumed and should be made available to the Department authorities and the representatives of the user shall be present at all times for inspection .
- d) The Industry should pay water rate at the existing rates and subject to revision by the Government from time to time .In case of failure to pay water rate/royalty the permission to draw water shall stands cancelled.
- e) No field bodhi or pipe line shall be taken through or along with Government land without approval of Government and if permission accorded by the Government the lease of Government land should be paid as fixed by the Government only.
- f) The Industry shall obtain the prior concurrence of concerned Departments for laying pipeline and for crossings etc.
- g) The Industry should make their own arrangements for supplementation of water in their premises only for the closure period of the canal.
- h) The Industry should make their own arrangements to dispose the treatment effluents as per norms of Andhra Pradesh Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in the natural sources.
- i) The Irrigation Department reserves the right for cancellation of the permission without assigning any reasons thereof.
- j) The Irrigation Department is no way responsible for non-supply of water due to any reasons.
- k) The Industry must acquire the private land for installation of pumping arrangements. If the Industry proposes to utilize Government land for installation of pump house, necessary permission is to obtain from the Government for leasing the land and the lease amount as fixed is to be paid by the Industry.

- l) The water drawn from the Nizampatnam canal should be utilized for the purpose for which permission is granted. Any misuse in this regard will entail cancellation for the permission without any notice and liable for imposition of penalty.
- m) The Industry should follow the Revenue Board Standing Orders.
- n) The Industry shall pay security deposit at rate of 2.5% on 5 years water charges for which permission is granted.
- o) The permission shall be for a period of 5 years only. The permission shall have to be renewed well in advance before the expiry of permission
- p) The Industry shall pay one year water charges as advance and any amounts due to the department before entering in to agreement.
- q) **The Industry should follow the G.O.Ms.No. 39, I&CAD Dt 2.4.2002 and must pay royalty at the rate of Rs. 4.50 per 1000 gallons as the water is used for consumptive use or at the revised rates fixed by the Government from time to time.**
- r) M/S NSL Textiles Ltd., should make its own arrangements for summer storage in their premises only.
- s) M/S NSL Textiles Ltd.,has to conclude an arrangement with the Superintending Engineer, Irrigation Circle, Guntur,District.
- t) A detailed plan showing the location, the intake arrangements, details of pump house, conveyance system etc., shall be furnished to the department.
- u) The Industry shall abide any other conditions laid down by the Government /Department from time to time.
- v) The firm has to pay the water charges for the granted quantity in advance at the start of the financial year i.e., before 10<sup>th</sup> April every year as per BSO.
- w) The Consumptive utilization of 6 MLD (0.06 TMC per Annum) as required should not exceed under any circumstances.
- x) The permission does not confirm any riparian right to the Industry.
- y) Non adherence of any of the above conditions by the Industry entails cancellation of the permission.
- z) Necessary clearance from the District Collector concerned and A.P. Pollution Control Board are to be obtained in this regard by the firm before drawl of water from the Source.

6. The Engineer-in-Chief (Irrigation) , Jalasoudha Building, Hyderabad, shall take necessary further action accordingly in the matter.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

**SHAIENDRA KUMAR JOSHI  
PRINCIPAL SECRETARY TO GOVT. (P)**

**To**  
The Engineer-in-Chief (Irrigation), Erramanzil, Hyderabad.  
The Superintending Engineer, Irrigation Circle, Guntur District.

**Copy to:**

The Collector & District Magistrate, Guntur.,District..  
The Managing Director, A.P. Pollution Control Board, Hyderabad.  
The Director, M/s NSL Textiles Ltd., Kunchalavaripalem, Cherukupalli(M), Guntur. District.  
The P.S. to Prl. Secretary to Govt. Industries & Commerce (IP) Department.  
The Secretary, A.P. industries Infrastructure Corporation, Basheerbagh, Hyderabad.

**// FORWARDED :: BY ORDER //**

**SECTION OFFICER**